Ocean Salmon Ecosystem Publications

Baldwin, R.E., Miller, T.W., Brodeur, R.D., and Jacobson, K.C. (2008) Expanding the foraging history of juvenile salmon: combining stomach-content and macroparasite-community analyses for studying marine diets. *J. Fish. Biol.* **72**, 1268-1294.

Benkwitt, C., Brodeur, R.D., Daly, E.A. and Hurst, T.M. (2009) Diel feeding chronology, gastric evacuation and daily food consumption of juvenile Chinook salmon in coastal waters. *Trans. Am. Fish. Soc.,* **138,** 111-120. doi:10.1577/T08-060.1.

Bi, H., Ruppel, R.E. and Peterson, W.T. (2007) Modeling the pelagic habitat of salmon off the Pacific Northwest (USA) coast using logistic regression. *Mar. Ecol. Prog. Ser.,* **336,** 249-265. doi:10.3354/meps336249.

Bi, H., Ruppel, R.E., Peterson, W.T. and Casillas, E. (2008) Spatial distribution of ocean habitat of yearling Chinook (*Oncorhynchus tshawytscha*) and coho (*Oncorhynchus kisutch*) salmon off Washington and Oregon, USA. *Fish. Oceanogr.,* **17,** 463-476. doi:10.1111/j.1365-2419.2008.00493.x.

Bi, H., Peterson, W.T., Lamb, J. and Casillas, E. (2011a) Copepods and salmon: characterizing the spatial distribution of juvenile salmon along the Washington and Oregon coast, U.S.A. *Fish. Oceanogr.,* **20,** 125-138. doi:10.1111/j.1365-2419.2011.00573.x.

Bi, H., Peterson, W.T. and Strub, P.T. (2011b) Transport and coastal zooplankton communities in the northern California Current system. *Geophys. Res. Lett.,* **38,** L12607. doi:10.1029/2011gl047927.

Bi, H.S., Peterson, W.T., Peterson, J.O. and Fisher, J.L. (2012) A comparative analysis of coastal and shelf-slope copepod communities in the northern California Current system: Synchronized response to large-scale forcing? *Limnol. Oceanogr.,* **57,** 1467-1478. doi:10.4319/lo.2012.57.5.1467.

Bjortkstedt, E.P., Goericke, R., McClatchie, S., Weber, E., Watson, W., Lo, N., Peterson, W., Emmett, R., Brodeur, R., Peterson, J., Litz, M., Gómez-Valdés, J., Gaxiola-Castro, G., Chavez, F., Collins, C.A., Field, J., Sukama, K., Bograd, S.J., Schwing, F.B., Warzybok, P., Bradley, R., Jahncke, J., Campbell, G.S., Hilderbrand, J.A., Sydeman, W.J., Thompson, S.A., Largier, J.L., Halle, C., Kim, S.Y. and Abell, J. (2011) State of the California Current 2010-2011: Regionally variable responses to a strong (but fleeting?) La Niña. *CALCOFI Rep,* **52,** 36-68.

Bjortkstedt, E.P., Goericke, R., McClatchie, S., Weber, E., Watson, W., Lo, N., Peterson, W., Brodeur, R., Fisher, J., Morgan, C., Peterson, J., Largier, J.L., Bograd, S.J., Dorazo, R., Gaxiola-Castro, G., Lavaniegos, B., Chavez, F., Collins, C.A., Hannah, B., Sakuma, K., Satterthwaite, W., O'Farrell, M., Hayes, S.A., Harding, J.A., Sydeman, W.J., Thompson, S.A., Warzybok, P., Bradley, R., Jahncke, J., Golightly, R., Schneider, S., Suryan, R., Gladics, A., Horton, C., Kim, S.Y., Melon, S., DeLong, R. and Abell, J. (2012) State of the California Current 2011-2012: Ecosystems respond to local forcing as La Niña wavers and wanes. *CALCOFI Rep,* **53,** 41-76.

Bosley, K.L., Miller, T.W., Brodeur, R.D., Bosley, K.M., Van Gaest, A. and Elz, A. (2014) Feeding ecology of juvenile rockfishes off Oregon and Washington based on stomachcontent and stable isotope analyses. *Mar. Biol.,* **161,** 2381-2393. doi:10.1007/s00227-014-2513-8.

Brodeur, R.D., Barcelo, C., Robinson, K.L., Daly, E.A. and Ruzicka, J.J. (2014) Spatial overlap between forage fishes and the large medusa *Chrysaora fuscescens* in the northern California Current region. *Mar. Ecol. Prog. Ser.,* **510,** 167-181. doi:10.3354/meps10810.

Brodeur, R.D., Fisher, J.P., Emmett, R.L., Morgan, C.A. and Casillas, E. (2005) Species composition and community structure of pelagic nekton off Oregon and Washington under variable oceanographic conditions. *Mar. Ecol. Prog. Ser.,* **298,** 41-57. doi:10.3354/meps298041.

Brodeur, R.D., Daly, E.A., Schabetsberger, R.A. and Mier, K.L. (2007a) Interannual and interdecadal variability in juvenile coho salmon (*Oncorhynchus kisutch*) diets in relation to environmental changes in the northern California Current. *Fish. Oceanogr.,* **16,** 395-408. doi:10.1111/j.1365-2419.2007.00438.x.

Brodeur, R.D., Daly, E.A., Sturdevant, M.V., Miller, T.W., Moss, J.H., Thiess, M.E., Trudel, M., Weitkamp, L.A., Armstrong, J. and Norton, E.C. (2007b) Regional comparisons of juvenile salmon feeding in coastal marine waters off the west coast of North America. *Am. Fish. Soc. Symp.,* **57,** 183-203.

Brodeur, R.D., Suchman, C.L., Reese, D.C., Miller, T.W. and Daly, E.A. (2008) Spatial overlap and trophic

interactions between pelagic fish and large jellyfish in the northern California Current. *Mar. Biol*. **154**, 649-659.

Brodeur, R.D., Auth, T.D., Britt, T., Daly, E.A., Litz, M.N.C. and Emmett, R.L. (2011a) Dynamics of larval and juvenile rockfish (*Sebastes* spp.) recruitment in coastal waters of the Northern California Current. *ICES C.M.,* **H:12**.

Brodeur, R.D., Daly, E.A., Benkwitt, C.E., Morgan, C.A. and Emmett, R.L. (2011b) Catching the prey: Sampling juvenile fish and invertebrate prey fields of juvenile coho and Chinook salmon during their early marine residence. *Fish. Res.,* **108,** 65-73. doi:10.1016/j.fishres.2010.11.023.

Brodeur, R.D., Ruzicka, J.J. and Steele, J.H. (2011c) Investigating alternate trophic pathways through gelatinous zooplankton and planktivorous fishes in an upwelling ecosystem using end-to-end models. *TERRAPUB,* **5,** 57-63.

Brodeur, R.D., Buchanan, J.J. and Emmett, R.L. (2014) Pelagic and demersal fish predators on juvenile and adult forage fishes in the Northern California Current: Spatial and temporal variations. *CalCOFI Rep*. **55**, 96-116.

Brodeur, R.D. and Morgan, C.A. (2016) Influence of a Coastal Riverine Plume on the Cross-shelf Variability in Hydrography, Zooplankton, and Juvenile Salmon Diets. Estuar. Coast., **39**, 1183-1198. doi: 10.1007/s12237-015-0050-4.

Burke, B.J., Liermann, M.C., Teel, D.J. and Anderson, J.J. (2013a) Environmental and geospatial factors drive juvenile Chinook salmon distribution during early ocean migration. *Can. J. Fish. Aquat. Sci.,* **70,** 1167-1177. doi:10.1139/cjfas-2012-0505.

Burke, B.J., Peterson, W.T., Beckman, B.R., Morgan, C.A., Daly, E.A. and Litz, M. (2013b) Multivariate Models of Adult Pacific Salmon Returns. *Plos One,* **8(1): e54134**. doi:10.1371/journal.pone.0054134.

Burke, B.J., Anderson, J.J. and Baptista, A.M. (2014) Evidence for multiple navigational sensory capabilities of Chinook salmon. *Aquatic Biology,* **20,** 77-90. doi:10.3354/ab00541.

Burla, M., Baptista, A.M., Casillas, E., Williams, J.G. and Marsh, D.M. (2010) The influence of the Columbia River plume on the survival of steelhead (*Oncorhynchus mykiss*) and Chinook salmon (*Oncorhynchus tshawytscha*): a numerical exploration. *Can. J. Fish. Aquat. Sci.,* **67,** 1671-1684. doi:10.1139/f10-083.

Cheung, W.L., Brodeur, R.D., Okey, T.A. and Pauly. D. (2015) Projecting future changes in distributions of pelagic fish species of Northeast Pacific shelf seas. *Prog. Oceanogr.* **130**,19-31.

Claiborne, A.M., Fisher, J.P., Hayes, S.A. and Emmett, R.L. (2011) Size at Release, Size-Selective Mortality, and Age of Maturity of Willamette River Hatchery Yearling Chinook Salmon. *Trans. Am. Fish. Soc.,* **140,** 1135-1144. doi:10.1080/00028487.2011.607050.

Claiborne, A.M., Miller, J.A., Weitkamp, L.A., Teel, D.J. and Emmett, R.L. (2014) Evidence for selective mortality in marine environments: the role of fish migration size, timing, and production type. *Mar. Ecol. Prog. Ser.* **515,** 187-202. doi:10.3354/meps10963.

Claxton, A., Jacobson, K.C., Bhuthimethee, M., Teel, D. and Bottom, D. (2013) Parasites in subyearling Chinook salmon (*Oncorhynchus tshawytscha*) suggest increased habitat use in wetlands compared to sandy beach habitats in the Columbia River estuary. *Hydrobiologia,* **717,** 27-39. doi:10.1007/s10750-013-1564-z.

Daly, E.A. and Brodeur, R.D. (2015) Warming Ocean Conditions Relate to Increased Trophic Requirements of Threatened and Endangered Salmon. *PLoS ONE*, **10**, e0144066. doi: 10.1371/journal.pone.0144066.

Daly, E.A., Brodeur, R.D. and Weitkamp, L.A. (2009) Ontogenetic shifts in diets of juvenile and subadult coho and Chinook salmon in coastal marine waters: Important for marine survival? *Trans. Am. Fish. Soc.,* **138,** 1420-1438. doi:10.1577/t08-226.1.

Daly, E.A., Benkwitt, C.E., Brodeur, R.D., Litz, M.N.C. and Copeman, L.A. (2010) Fatty acid profiles of juvenile salmon indicate prey selection strategies in coastal marine waters. *Mar. Biol.,* **157,** 1975-1987. doi:10.1007/s00227-010-1466-9.

Daly, E.A., Brodeur, R.D., Fisher, J.P., Weitkamp, L.A., Teel, D.J. and Beckman, B.R. (2012) Spatial and trophic overlap of marked and unmarked Columbia River Basin spring Chinook salmon during

early marine residence with implications for competition between hatchery and naturally produced fish. *Environ. Biol. Fishes,* **94,** 117-134. doi:DOI 10.1007/s10641-011-9857-4.

Daly, E.A., Auth, T.D., Brodeur, R.D. and Peterson, W.T. (2013) Winter ichthyoplankton biomass as a predictor of early summer prey fields and survival of juvenile salmon in the northern California Current. *Mar. Ecol. Prog. Ser.,* **484,** 203-217. doi:10.3354/meps10320.

Daly, E.A., Brodeur, R.D., Scheurer, J.A., Weitkamp, L.A., Beckman, B.R. and Miller, J.A. (2014) Juvenile steelhead distribution, migration, feeding, and growth in the Columbia River estuary, plume, and coastal waters. *Mar. Coast. Fish.,* **6:1,** 62-80. doi:10.1080/19425120.2013.869284.

De Robertis, A., Morgan, C.A., Schabetsberger, R., Zabel, R., Brodeur, R.D., Emmett, R.L., Knight, C.M., Krutzikowsky, G.K. and Casillas, E. (2005) Frontal regions of the Columbia River plume: II Distribution, abundance and feeding ecology of juvenile salmon. *Mar. Ecol. Prog. Ser.,* **299,** 33-44. doi:10.3354/meps299033.

Emmett, R.L. and Brodeur, R.D. (2000) Recent changes in the pelagic nekton community off Oregon and Washington in relation to physical oceanographic conditions. *N. Pac. Anadrom. Fish Comm. Bull.,* **2,** 11-20.

Emmett, R.L., Brodeur, R.D. and Orton, P.M. (2004) The vertical distribution of juvenile salmon (*Oncorhynchus* spp.) and associated fishes in the Columbia River plume. *Fish. Oceanogr.,* **13(6),** 392-402. doi:10.1111/j.1365-2419.2004.00294.x.

Emmett, R.L., Brodeur, R.D., Miller, T.W., Pool, S.S., Krutzikowsky, G.K., Bentley, P.J. and McCrae, J. (2005) Pacific sardines (*Sardinops sagax*) abundance, distribution, and ecological relationships in the Pacific Northwest. *CALCOFI Rep,* **46,** 122-143.

Emmett, R.L., Krutzikowsky, G.K. and Bentley, P. (2006) Abundance and distribution of pelagic piscivorous fishes in the Columbia River plume during spring/early summer 1998-2003: Relationship to oceanographic conditions, forage fishes, and juvenile salmonids. *Prog. Oceanogr.,* **68,** 1-26. doi:10.1016/j.pocean.2005.08.001.

Emmett, R.L. and Sampson, D.B. (2007) The relationship between predatory fish, forage fishes, and juvenile salmonid marine survival off the Columbia River: a simple trophic model analysis. *CALCOFI Rep,* **48,** 96-105.

Emmett, R.L. and Krutzikowsky, G.K. (2008) Nocturnal feeding of Pacific hake and jack mackerel off the mouth of the Columbia River, 1998-2004: Implications for juvenile salmon predation. *Trans. Am. Fish. Soc.,* **137,** 657-676. doi:10.1577/t06-058.1.

Fisher, J.P., Trudel, M., Ammann, A., Orsi, J.A., Piccolo, J., Bucher, C., Casillas, E., Harding, J.A., MacFarlane, R.B., Brodeur, R.D., Morris, J.F.T. and Welch, D.W. (2007) Comparisons of the coastal distributions and abundances of juvenile Pacific Salmon from central California to the Northern Gulf of Alaska. In: *The ecology of juvenile salmon in the northeast Pacific Ocean: regional comparisons.* C.B. Grimes, R.D. Brodeur, L.J. Haldorson and S.M. McKinnell (eds). American Fisheries Society, Symposium 57, Bethesda. pp. 31-80.

Fisher, J.P., Weitkamp, L.A., Teel, D.J., Hinton, S.A., Orsi, J.A., Farley, E.V., Morris, J.F.T., Thiess, M.E., Sweeting, R.M. and Trudel, M. (2014) Early ocean dispersal patterns of Columbia River Chinook and coho salmon. *Trans. Am. Fish. Soc.,* **143:1,** 252-272. doi:10.1080/00028487.2013.847862.

Francis, T.B., Scheuerell, M.D., Brodeur, R. D., Levin, P.S., Ruzicka, J.J., Tolimieri, N. and Peterson, W.T. (2012) Climate shifts the interaction web of a marine plankton community. *Global Change Biology* **18**, 2498-2508.

Gladics, A.J., Suryan, R.M., Brodeur, R.D., Segui, L.M. and Filliger, L.Z. (2014) Constancy and change in marine predator diets across a shift in oceanographic conditions in the northern California Current. *Mar. Biol.* **161**, 837–851.

Gladics, A.J., Suryan, R.M., Parrish, J.K., Horton, C.A., Daly, E.A. and Peterson, W.T. (2015) Environmental drivers and reproductive consequences of variation in the diet of a marine predator. *J. Mar. Syst.* doi:http://dx.doi.org/10.1016/j.jmarsys.2014.06.015.

Grimes, C.B., Brodeur, R.D., McKinnell, S.M. and Haldorson L. (2007) Regional comparisons of salmonid life history and ecology in the Northeast Pacific Ocean. *Amer. Fish. Soc. Spec. Symp***. 57***,* 247 pp.

Hill, A.D., Daly, E.A. and Brodeur, R.D. (2014) Diet variability of forage fishes in the Northern California

Current System. *J. Mar. Syst.* doi:http://dx.doi.org/10.1016/j.jmarsys.2014.08.006.

Guy, T.J., Jennings, S.L., Suryan, R.M., Melvin, E.F., Bellman, M.A., Ballance, L.T., Blackie, B.A., Croll, D.A., Deguchi, T., Geernaert, T.O., Henry, R.W., Hester, M., Hyrenbach, K.D., Jahncke, J., Kappes, M.A., Ozaki, K., Roletto, J., Sato, F., Sydeman, W.J. and Zamon, J.E. (2013) Overlap of North Pacific albatrosses with the U.S. west coast groundfish and shrimp fisheries. *Fish. Res.,* **147,** 222-234. doi:10.1016/j.fishres.2013.06.009.

Hertz, E., Trudel, M., Brodeur, R.D., Daly, E.A., Eisner, L., Farley Jr, E.V., Harding, J.A., MacFarlane, R.B., Mazumder, S., Moss, J.H., Murphy, J.M. and Mazumder, A. (2015) Continental-scale variability in the feeding ecology of juvenile Chinook salmon along the coastal Northeast Pacific Ocean. *Mar. Ecol. Prog. Ser.,* **537,** 247-263. doi: 10.3354/meps11440.

Jacobson, K.C., Baldwin, R.E. and Teel, D.J. (2004) Parasite community composition: Insights on the ecology and migration of juvenile salmon. *N. Pac. Anadrom. Fish Comm. Tech. Rep.,* **5,** 49-51.

Jacobson, K.C., Teel, D., Van Doornik, D.M. and Casillas, E. (2008) Parasite-associated mortality of juvenile Pacific salmon caused by the trematode *Nanophyetus salmincola* during early marine residence. *Mar. Ecol. Prog. Ser.,* **354,** 235-244. doi:10.3354/meps07232.

Jacobson, K.C., Peterson, W.T., Trudel, M., Ferguson, J., Morgan, C.A., Welch, D.W., Baptista, A.M., Beckman, B.R., Brodeur, R.D., Casillas, E., Emmett, R.L., Miller, J.A., Teel, D.J., Wainwright, T.C., Weitkamp, L.A., Zamon, J.E. and Fresh, K. (2012) The Marine Ecology of Juvenile Columbia River Basin Salmonids: A Synthesis of Research 1998-2011. Report of the U.S. National Marine Fisheries Service, National Oceanic and Atmospheric Administration, Fisheries and Oceans Canada, Kintama Research Services, Ltd., and Oregon State University to the Northwest Power and Conservation Council.

Kaltenberg, A.M., Emmett, R.L. and Benoit-Bird, K.J. (2010) Timing of forage fish seasonal appearance in the Columbia River plume and link to ocean conditions. *Mar. Ecol. Prog. Ser.,* **419,** 171-184. doi:10.3354/meps08848.

Leising, A.W., Schroeder, I.D., Bograd, S.J., Abell, J., Durazo, R., Gaxiola-Castro, G., Bjorkstedt, E.P., Field, J., Sakuma, K., Robertson, R.R., Goericke, R., Peterson, W.T., Brodeur, R.D., Barceló, C., Auth, T.D., Daly, E.A., Suryan, R.M., Gladics, A.J., Porquez, J.M., McClatchie, S., Weber, E.D., Watson, W., Santora, J.A., Sydeman, W.J., Melin, S.R., Chavez, F.P., Golightly, R.T., Schneider, S.R., Fisher, J., Morgan, C., R., B. and P., W. (2015) State of the California Current 2014-15: Impacts of the Warm-Water "Blob". *CALCOFI Rep,* **56,** 31-68.

Litz, M.N.C., Emmett, R.L., Heppell, S.S. and Brodeur, R.D. (2008) Ecology and distribution of the northern subpopulation of northern anchovy, *Engraulis mordax*, off the U.S. West Coast. *CALCOFI Rep,* **49,** 167-182.

Litz, M.N.C., Brodeur, R.D., Emmett, R.L., Heppell, S.S., Rasmussen, R.S., O'Higgins, L. and Morris, M.S. (2010) Effects of variable oceanographic conditions on forage fish lipid content and fatty acid composition in the northern California Current. *Mar. Ecol. Prog. Ser.,* **405,** 71-85. doi:10.3354/meps08479.

Litz, M.N.C., Phillips, A.J., Brodeur, R.D. and Emmett, R.L. (2011) Seasonal occurrences of Humboldt squid (*Dosidicus gigas*) in the northern California Current System. *CALCOFI Rep,* **52,** 97-108.

Litz, M.N.C., Emmett, R.L., Bentley, P.J., Claiborne, A.M. and Barceló, C. (2013) Biotic and abiotic factors influencing forage fish and pelagic nekton community in the Columbia River plume (USA) throughout the upwelling season 1999–2009. *ICES J. Mar. Sci.* doi:10.1093/icesjms/fst082.

Losee, J.P., Fisher, J., Teel, D.J., Baldwin, R.E., Marcogliese, D.J. and Jacobson, K.C. (2014) Growth and condition of juvenile coho salmon *Oncorhynchus kisutch* relate positively to species richness of trophically transmitted parasites. *J. Fish Biol.,* **85,** 1665-1681.doi:10.1111/jfb.12525.

Losee, J.P., Miller, J.A., Peterson, W.T., Teel, D.J. and Jacobson, K.C. (2014) Influence of oceanecosystem variation on trophic interactions and survival of juvenile coho and Chinook salmon. *Can. J. Fish. Aquat. Sci.,* **71,** 1747-1757. doi:10.1139/cjfas-2014-0043.

Malick, M.J., Cox, S.P., Peterman, R.M., Wainwright, T.C., Peterson, W.T. and Krkošek, M. (2015) Accounting for multiple pathways in the connections among climate variability, ocean processes, and coho salmon recruitment in the Northern California Current. *Can. J. Fish. Aquat.*

Sci., **72,** 1552-1564. doi: 10.1139/cjfas-2014-0509.

Miller, J.A., Teel, D.J., Baptista, A.M. and Morgan, C.A. (2013) Disentangling bottom-up and top-down effects on survival during early ocean residence in a population of Chinook salmon (*Oncorhynchus tshawytscha*). *Can. J. Fish. Aquat. Sci.,* **70,** 617-629. doi:dx.doi.org/10.1139/cjfas-2012-0354.

Miller, J.A., Teel, D.J., Peterson, W.T. and Baptista, A.M. (2014) Assessing the relative importance of local and regional processes on the survival of Snake River spring/summer Chinook salmon. *Plos One* **9,** e99814. doi:10.1371/journal.pone.0099814.

Miller T.W. and Brodeur, R.D. (2007) Diets of and trophic relationships among dominant marine nekton within the northern California Current ecosystem. *Fish. Bull.* **105**, 548-559.

Miller, T.W., Brodeur, R.D., Rau, G.H., and Omori, K. (2010) Prey dominance shapes trophic structure of the northern California Current pelagic food web: evidence from stable isotopes and diet analysis. *Mar. Ecol. Prog. Ser.* **420**, 15-26.

Miller, T.W., Bosley, K.L., Shibata, J., Brodeur, R.D., Omori, K. and Emmett, R. (2013) Contribution of prey to Humboldt squid *Dosidicus gigas* in the northern California Current, revealed by stable isotope analyses. *Mar. Ecol. Prog. Ser.,* **477,** 123-134. doi:10.3354/meps10133.

Morgan, C.A., De Robertis, A. and Zabel, R.W. (2005) Columbia River plume fronts. I. Hydrography, zooplankton distribution, and community composition. *Mar. Ecol. Prog. Ser.,* **299,** 19-31. doi:10.3354/meps299019.

Nur, N., Jahncke, J., Herzog, M.P., Howar, J., Hyrenbach, K.D., Zamon, J.E., Ainley, D.G., Wiens, J.A., Morgan, K., Ballance, L.T. and Stralberg, D. (2011) Where the wild things are: predicting hotspots of seabird aggregations in the California Current System. *Ecol. Appl.,* **21,** 2241-2257.

Orsi, J.A., Harding, J.A., Pool, S.S., Brodeur, R.D., Haldorson, L.J., Murphy, J.M., Moss, J.H., Farley, J.E.V., Sweeting, R.M., Morris, J.F.T., Trudel, M., Beamish, R.J., Emmett, R.L. and Fergusson, E.A. (2007) Epipelagic fish assemblages associated with juvenile Pacific salmon in neritic waters of the California Current and the Alaska Current. In: *The ecology of juvenile salmon in the northeast Pacific Ocean: regional comparisons.* C.B. Grimes, R.D. Brodeur, L.J. Haldorson and S.M. McKinnell (eds). American Fisheries Society, Symposium 57, Bethesda. pp. 105-155.

Peterson, J.O., Morgan, C.A., Peterson, W.T. and Di Lorenzo, E. (2013a) Seasonal and interannual variation in the extent of hypoxia in the northern California Current from 1998–2012. *Limnol. Oceanogr.,* **58,** 2279-2292. doi:10.4319/lo.2013.58.6.2279.

Peterson, W.T., Morgan, C.A., Fisher, J.P. and Casillas, E. (2010) Ocean distribution and habitat associations of yearling coho (*Oncorhynchus kisutch*) and Chinook (*O. tshawytscha*) salmon in the northern California Current. *Fish. Oceanogr.,* **19,** 508-525. doi:10.1111/j.1365-2419.2010.00560.x.

Peterson, W.T., Morgan, C.A., Peterson, J.O., Fisher, J.L., Burke, B.J. and Fresh, K. (2013b) Ocean ecosystem indicators of salmon marine survival in the Northern California current, http://www.nwfsc.noaa.gov/research/divisions/fe/estuarine/oeip/documents/Peterson_etal_2013.pdf

Peterson, W.T., Fisher, J.L., Peterson, J.O., Morgan, C.A., Burke, B.J. and Fresh, K.L. (2014) Applied fisheries oceanography: Ecosystem indicators of ocean conditions inform fisheries management in the California Current. *Oceanography,* **27,** 80-89. doi:http://dx.doi.org/10.5670/oceanog.2014.88.

Phillips, A.J., Ralston, S., Brodeur, R.D., Auth, T.D., Emmett, R.L., Johnson, C. and Wespestad, V.G. (2007) Recent pre-recruit Pacific hake (*Merluccius productus*) occurrences in the northern California Current suggest a northward expansion of their spawning area. *CALCOFI Rep,* **48,** 215-229.

Phillips, E.M., Zamon, J.E., Nevins, H.M., Gibble, C.M., Duerr, R.S. and Kerr, L.H. (2011) Summary of birds killed by a harmful algal bloom along the south Washington and north Oregon coasts during October 2009. *Northwest. Nat.,* **92,** 120-126. doi:10.1898/10-32.1.

Pool, S.S., Brodeur, R.D., Goodman, N.L. and Daly, E.A. (2008) Abundance, distribution, and feeding patterns of juvenile coho salmon (*Oncorhynchus kisutch*) in the Juan de Fuca Eddy. *Estuar. Coast. Shelf Sci.,* **80,** 85-94. doi:10.1016/j.ecss.2008.07.009.

Pool, S.S., Reese, D.C. and Brodeur, R.D. (2012) Defining marine habitat of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, and coho salmon, *O. kisutch*, in the northern California Current System. *Env. Biol. Fish.* **93**, 233-243.

Reese, D.C. and Brodeur, R.D. (2015) Species associations and redundancy in relation to biological hotspots within the northern California Current ecosystem. *J. Mar. Syst*. **146**:3-16.

Roegner, G.C., Needoba, J. and Baptista, A.M. (2011a) Coastal upwelling supplies oxygen-depleted water to the Columbia River estuary. *Plos One,* **6(4)**. doi:10.1371/journal.pone.0018672.

Roegner, G.C., Seaton, C. and Baptista, A.M. (2011b) Climatic and tidal forcing of hydrography and chlorophyll concentrations in the Columbia River estuary. *Estuar. Coast.,* **34,** 281-296. doi:10.1007/s12237-010-9340-z.

Roegner, G.C., Daly, E.A. and Brodeur, R.D. (2013) Surface distribution of brachyuran megalopae and ichthyoplankton in the Columbia River plume during transition from downwelling to upwelling conditions. *Cont. Shelf Res.,* **60,** 70-86. doi:10.1016/j.csr.2013.04.007.

Rupp, David E., Wainwright, Thomas C. and Lawson, Peter W. (2012a) Effect of forecast skill on management of the Oregon coast coho salmon (*Oncorhynchus kisutch*) fishery. *Can. J. Fish. Aquat. Sci.,* **69,** 1016-1032. doi:10.1139/f2012-040.

Rupp, D.E., Wainwright, T.C., Lawson, P.W. and Peterson, W.T. (2012b) Marine environment-based forecasting of coho salmon (*Oncorhynchus kisutch*) adult recruitment. *Fish. Oceanogr.,* **21,** 1-19. doi:10.1111/j.1365-2419.2011.00605.x.

Ruzicka, J.J., Brodeur, R.D. and Wainwright, T.C. (2007) Seasonal food web models for the Oregon inner-shelf ecosystem: Investigating the role of large jellyfish. *CALCOFI Rep,* **48,** 106-128.

Ruzicka, J.J., Wainwright, T.C. and Peterson, W.T. (2011a) A simple plankton model for the Oregon upwelling ecosystem: Sensitivity and validation against time-series ocean data. *Ecol. Model.,* **222,** 1222-1235. doi:10.1016/j.ecolmodel.2011.01.001.

Ruzicka, J.J., Wainwright, T.C. and Peterson, W.T. (2011b) A model-based meso-zooplankton production index and its relation to the ocean survival of juvenile coho (*Oncorhynchus kisutch*). *Fish. Oceanogr.,* **20,** 544-559. doi:10.1111/j.1365-2419.2011.00601.x.

Ruzicka, J.J., Brodeur, R.D., Robert L Emmett, Steele, J.H., Zamon, J.E., Morgan, C.A., Thomas, A.C. and Wainwright, T.W. (2012) Interannual variability in Northern California Current food web structure: Changes in energy flow pathways and the role of forage fish, euphausiids, and jellyfish. *Prog. Oceanogr.,* **102,** 19-41. doi:10.1016/j.pocean.2012.02.002.

Ruzicka, J.J., Daly, E.A. and Brodeur, R.D. 2016. Evidence that summer jellyfish blooms impact Pacific Northwest salmon production. *Ecosphere.*

Sandell, T.A., Teel, D.J., Fisher, J., Beckman, B. and Jacobson, K.C. (2015) Infections by *Renibacterium salmoninarum* and *Nanophyetus salmincola* Chapin are associated with reduced growth of juvenile Chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), in the Northeast Pacific Ocean. *J. Fish Dis.*, **38**, 365-378. doi: 10.1111/jfd.12243.

Schabetsberger, R., Morgan, C.A., Brodeur, R.D., Potts, C.L., Peterson, W.T. and Emmett, R.L. (2003) Prey selectivity and diel feeding chronology of juvenile chinook (*Oncorhynchus tshawytscha*) and coho (*O. kisutch*) salmon in the Columbia River plume. *Fish. Oceanogr.,* **12,** 523-540. doi:10.1046/j.1365-2419.2003.00231.x.

Suchman, C., Brodeur, R., Daly, E. and Emmett, R. (2012) Large medusae in surface waters of the Northern California Current: variability in relation to environmental conditions. *Hydrobiologia,* **690,** 113-125. doi:10.1007/s10750-012-1055-7.

Takahashi, M., Checkley, D.M., Litz, M.N.C., Brodeur, R.D. and Peterson, W.T. (2012) Responses in growth rate of larval northern anchovy (*Engraulis mordax*) to anomalous upwelling in the northern California Current. *Fish. Oceanogr.,* **21,** 393-404. doi:10.1111/j.1365-2419.2012.00633.x.

Teel, D.J., Van Doornik, D.M., Kuligowski, D.R. and Grant, W.S. (2003) Genetic analysis of juvenile coho salmon (*Oncorhynchus kisutch*) off Oregon and Washington reveals few Columbia River wild fish. *Fish. Bull.,* **101,** 640-652.

Tomaro, L.T., Teel, D.J., Peterson, W.T. and Miller, J.A. (2012) Early marine residence of Columbia River

spring Chinook salmon: when is bigger better? *Mar. Ecol. Prog. Ser.,* **452,** 237-252. doi:10.3354/meps09620.

Trudel, M., Jones, S.R.M., Thiess, M.E., Morris, J.F.T., Welch, D.W., Sweeting, R.M., Moss, J.H., Wing, B.L., Farley, E.V., Jr., Murphy, J.M., Baldwin, R.E. and Jacobson, K.C. (2007) Infestations of motile salmon lice (*Lepeophtheirus salmonis*) on Pacific salmon along the west coast of North America. In: *The ecology of juvenile salmon in the northeast Pacific Ocean: regional comparisons.* C.B. Grimes, R.D. Brodeur, L.J. Haldorson and S.M. McKinnell (eds). American Fisheries Society, Symposium 57, Bethesda, MD. pp. 157-182.

Tucker, S., Trudel, M., Welch, D.W., Candy, J.R., Morris, J.F.T., Thiess, M.E., Wallace, C., Teel, D.J., Crawford, W., Farley, E.V. and Beacham, T.D. (2009) Seasonal stock-specific migrations of juvenile sockeye salmon along the West Coast of North America: implications for growth. *Trans. Am. Fish. Soc.,* **138,** 1458-1480. doi:10.1577/T08-211.1.

Van Doornik, D.M., Teel, D.J., Kuligowski, D.R., Morgan, C.A. and Casillas, E. (2007) Genetic analyses provide Insight into the early ocean stock distribution and survival of juvenile coho salmon off the coasts of Washington and Oregon. *N. Am. J. Fish. Manage.,* **27,** 220–237. doi:10.1577/M06-130.1.

Wainwright, T.C. and Weitkamp, L.A. (2013) Effects of Climate Change on Oregon Coast Coho Salmon: Habitat and Life-Cycle Interactions. *Northwest Sci.,* **87,** 219-242. doi:10.3955/046.087.0305.

Weitkamp, L.A. and Bentley, P. (2009) Ocean ecology of juvenile pink and chum salmon in the Northern California Current. Proceedings of the pink & chum workshop. Bellingham, WA, February 2008.

Weitkamp, L.A. (2010) Marine Distributions of Chinook Salmon from the West Coast of North America Determined by Coded Wire Tag Recoveries. *Trans. Am. Fish. Soc.,* **139,** 147-170. doi:10.1577/t08-225.1.

Weitkamp, L.A., Bentley, P.B. and Litz, M.N.C. (2012a) Seasonal and interannual variation in juvenile salmonids and associated fish assemblage in open waters of the lower Columbia River estuary, U.S.A. *Fish. Bull.,* **110(4),** 426-450.

Weitkamp, L.A., Daly, E.A. and Fisher, J.P. (2012b) Early marine residence of juvenile pink and chum salmon in the Northern California Current: life at the southern end of the range. Proceedings of the NPAFC International Workshop on Explanations for the High Abundance of Pink and Chum Salmon and Future Trends. *N. Pac. Anadrom. Fish Comm. Bull.,* **8,** 54-57.

Weitkamp, L.A., Teel, D.J., Liermann, M., Hinton, S.A., Van Doornik, D.M. and Bentley, P.J. (2015) Stock-Specific Size and Timing at Ocean Entry of Columbia River Juvenile Chinook Salmon and Steelhead: Implications for Early Ocean Growth. *Mar. Coast. Fish.*, **7**, 370-392. doi: 10.1080/19425120.2015.1047476.

Wells, B.K., Schroeder, I.D., Santora, J.A., Hazen, E.L., Bograd, S.J., Bjorkstedt, E.P., Loeb, V.J., McClatchie, S., Weber, E.D., Watson, W., Thompson, A.R., Peterson, W.T., Brodeur, R.D., Harding, J., Field, J., Sakuma, K., Hayes, S., Mantua, N., Sydeman, W.J., Losekoot, M., Thompson, S.A., Largier, J., Kim, S.Y., Chavez, F.P., Barcelo, C., Warzybok, P., Bradley, R., Jahncke, J., Goericke, R., Campbell, G.S., Hildebrand, J.A., Melin, S.R., Delong, R.L., Gomez-Valdes, J., Lavaniegos, B., Gaxiola-Castro, G., Golightly, R.T., Schneider, S.R., Lo, N., Suryan, R.M., Gladics, A.J., Horton, C.A., Fisher, J., Morgan, C., Peterson, J., Daly, E.A., Auth, T.D. and Abell, J. (2013) State of the California Current 2012-13: No such thing as an "average" year. *CALCOFI Rep,* **54,** 37-71.

Yu, H., Bi, H.S., Burke, B., Lamb, J. and Peterson, W. (2012) Spatial variations in the distribution of yearling spring Chinook salmon off Washington and Oregon using COZIGAM analysis. *Mar. Ecol. Prog. Ser.,* **465,** 253-265. doi:10.3354/meps09909.

Zamon, J.E., Guy, T.J., Balcomb, K.C. and Ellifrit, D. (2007) Winter observations of southern resident killer whales (*Orcinus orca*) near the Columbia River Plume during the 2005 spring Chinook salmon (*Oncorhynchus tshawytscha*) spawning migration. *Northwest. Nat.,* **88,** 193-198.

Zamon, J.E., Phillips, E.M. and Guy, T.J. (2014) Marine bird aggregations associated with the tidally-driven plume and plume fronts of the Columbia River. *Deep Sea Res (Part II).* **107,** 85-95. doi:10.1016/j.dsr2.2013.03.031i.